



Características Técnicas / Technical Features

INTERIORISMO INFLUYENTE



WESPORT GREY

Porcelanato esmaltado mate



PISO




MURO



RECTIFICADO



INTERIOR




RESIDENCIAL



MATE

FORMATOS



60 x 120



	PIEZAS	CAJAS	M ²	KG
CAJA	4	NA	2.88	32
PALLET	112	28	80.64	896

ESPESOR: 5mm

Porcelanato esmaltado mate



NO.	ITEM	INDIAN INDEX	ISO INDEX	Title
01	Water absorption (%)	Average Value ≤ 0.5	Average Value ≤ 0.5	≤ 0.08
02	Breaking Strength (N)	Average Value ≥ 600	Average Value ≥ 560	600
03	Modulus of Rupture (MPa)	≥ 35	≥ 35	40
04	Abrasive Resistance	$\geq$ Grade 3	-	Grade 4
05	Resistance of thermal shock	Without Cracking and spalling after test	Without Cracking and spalling after test	Without Cracking and spalling
06	Resistance of crazing	Without Cracking and spalling after test	Without Cracking and spalling after test	Without Cracking and spalling after test
07	Frost Resistance	Without Cracking and spalling after test	Without Cracking and spalling after test	Without Cracking and spalling
08	Chemical Resistance	Not Lower than grade GB	Not Lower than grade GB	Grade GA
09	Stain Resistance	Not Lower than grade III	Not Lower than grade III	Grade 5
10	Limit of Radioactive Nuclear	Type A Ira ≤ 1.0 IY ≤ 1.03	-	Type A Ira ≤ 0.40 IY ≤ 0.89
11	Elastic limit (mm)	≥ 12	-	20
12	Anti-slip slope	$\geq 12^\circ$	-	25°

Características Técnicas / Technical Features

WESPORT GREY

Porcelanato esmaltado mate



NO.	ITEM		INDIAN INDEX	ISO INDEX	Tile
01	Size and bias (mm)	Length	± 1.0	± 0.6	-1.0 --0.5
		Width	± 1.0	± 0.6	-0.28 --+0.65
		Thickness	± 0.3	-	-0.08 --+0.09
		Average Thickness	≤ 6.0	-	-4.72 --0.86
		Length difference of opposite side	≤ 1.0	-	0.8
		Length difference of opposite angles	≤ 1.5	-	1.0
02	Surface Quality	-	At least 95% of plate; no obvious defects in its main area.	-	no obvious defects

INSPECCIONADO POR : Guandong Qingyuan Supervision Testing Institute of Quality and Metrology.

La información descrita representa los resultados del material sometido a pruebas. Prohibida su reproducción total o parcial sin la validación de laboratorio.

GANTE


Calle de la tecnología 125,
Colonia Regio parque industrial,
Santa Catarina, Nuevo León. C.P. 66367.

📍 / gante.mx

📷 / gantedesign

WESPORT GREY

Porcelanato esmaltado mate

 | PREMIUM DESIGN

60 x 120



GANTE

Calle de la tecnología 125,
Colonia Regio parque industrial,
Santa Catarina, Nuevo León. C.P. 66367.

 / [gante.mx](https://www.gante.mx)

  / [gantedesign](https://www.gantedesign.com)

INSPECCIONADO POR : Guandong Qíngyuan
Supervision Testing Institute of Quality and
Metrology.

La información descrita representa los resultados
del material sometido a pruebas. Prohibida su
reproducción total o parcial sin la validación de
laboratorio.

